

Spherical Roller Bearings 231 Series
Dalian JinYu HuaYang Industry Co., Ltd.
Tel: 86 411 84580998 / 66005509 / 86 13610855458
E-mail:hunaiwen@wjybearing.com
Website:www.jyhy-group.com

Bearing No.	Dimensions (mm)			Basic Load		Weight(Kg)
	d	D	B	cr	cor	
23122CA/W33	110	180	56	325	580	5.73
23122CC/W33	110	180	56	325	580	5.5
23122MB/W33	110	180	56	325	580	5.73
23124CA/W33	120	200	62	405	715	7.97
23124CC/W33	120	200	62	405	715	7.8
23124MB/W33	120	200	62	405	715	7.97
23126CA/W33	130	210	64	430	790	10.7
23126CC/W33	130	210	64	430	790	10.1
23126MB/W33	130	210	64	430	790	10.7
23128CA/W33	140	225	68	490	935	13.4
23128CC/W33	140	225	68	490	935	13.1
23128MB/W33	140	225	68	490	935	13.4
23130CA/W33	150	250	80	745	885	16.9
23130CC/W33	150	250	80	745	885	16.4
23130MB/W33	150	250	80	745	885	16.9
23132CA/W33	160	270	86	765	1430	21.9
23132CC/W33	160	270	86	765	1430	21.4
23132MB/W33	160	270	86	765	1430	21.9
23134CA/W33	170	280	88	730	1390	26.1
23134CC/W33	170	280	88	730	1390	25.6
23134MB/W33	170	280	88	730	1390	26.1
23136CA/W33	180	300	96	900	1720	27.1
23136CC/W33	180	300	96	900	1720	26.6
23136MB/W33	180	300	96	900	1720	27.1
23138CA/W33	190	320	104	975	1840	34.3
23138CC/W33	190	320	104	975	1840	34
23138MB/W33	190	320	104	975	1840	34.3
23140CA/W33	200	340	112	1170	2240	43.8
23140CC/W33	200	340	112	1170	2240	43.1
23140MB/W33	200	340	112	1170	2240	43.8
23144CA/W33	220	370	120	1370	2710	54.7
23144CC/W33	220	370	120	1370	2710	54.4
23144MB/W33	220	370	120	1370	2710	54.7

23148CA/W33	240	400	128	1500	3000	68.2
23148CC/W33	240	400	128	1500	3000	68
23148MB/W33	240	400	128	1500	3000	68.2
23152CA/W33	260	440	144	1860	3750	88.9
23152CC/W33	260	440	144	1860	3750	88.2
23152MB/W33	260	440	144	1860	3750	88.9
23156CA/W33	280	460	146	1990	4150	104
23156CC/W33	280	460	146	1990	4150	103
23156MB/W33	280	460	146	1990	4150	104
23160CA/W33	300	500	160	2310	4750	126
23160CC/W33	300	500	160	2310	4750	125
23160MB/W33	300	500	160	2310	4750	126
23164CA/W33	320	540	176	3150	5800	165
23164CC/W33	320	540	176	3150	5800	164
23164MB/W33	320	540	176	3150	5800	165
23168CA/W33	340	580	190	3050	6300	195
23168CC/W33	340	580	190	3050	6300	194
23168MB/W33	340	580	190	3050	6300	195
23172CA/W33	360	600	192	3250	6850	211
23172CC/W33	360	600	192	3250	6850	210
23172MB/W33	360	600	192	3250	6850	211
23176CA/W33	380	620	194	3400	7350	244
23176CC/W33	380	620	194	3400	7350	244
23176MB/W33	380	620	194	3400	7350	244
23180CA/W33	400	650	200	4100	7650	275
23180CC/W33	400	650	200	4100	7650	275
23180MB/W33	400	650	200	4100	7650	275
23184CA/W33	420	700	224	4250	9200	340
23184CC/W33	420	700	224	4250	9200	339
23184MB/W33	420	700	224	4250	9200	340
23188CA/W33	440	720	226	4500	10000	360
23188MB/W33	440	720	226	4500	10000	360
23192CA/W33	460	760	240	5500	10000	440
23192MB/W33	460	760	240	5500	10000	440
23196CA/W33	480	790	248	6100	12000	485
23196MB/W33	480	790	248	6100	12000	485
231/500CA/W33	500	830	264	6850	13400	567
231/530CA/W33	530	870	272	7150	14100	628
231/560CA/W33	560	920	280	6900	15700	756
231/600CA/W33	600	980	300	8900	18800	894
231/670	670	1090	336	11000	22500	1280
231/710	710	1150	345	12000	25800	1480

231/750	750	1220	365	13500	28800	1760
231/800	800	1280	375	14500	31000	1904
231/850	850	1360	400	16000	34200	2260
231/1000CA/W33	1000	1580	462	21500	48200	3520
231/1250	1250	1950	530			6035